Transformations

CSCI 4229/5229 Computer Graphics Fall 2006

2D Homogeneous Transformations

Translation:

 $\begin{pmatrix} x'\\y'\\w' \end{pmatrix} = \begin{pmatrix} 1 & 0 & \delta x\\0 & 1 & \delta y\\0 & 0 & 1 \end{pmatrix} \begin{pmatrix} x\\y\\w \end{pmatrix}$

Scaling:

 $\begin{pmatrix} x'\\y'\\w' \end{pmatrix} = \begin{pmatrix} S_x & 0 & 0\\0 & S_y & 0\\0 & 0 & 1 \end{pmatrix} \begin{pmatrix} x\\y\\w \end{pmatrix}$

Rotation

$$\begin{pmatrix} x'\\y'\\w' \end{pmatrix} = \begin{pmatrix} \cos\theta & -\sin\theta & 0\\\sin\theta & \cos\theta & 0\\0 & 0 & 1 \end{pmatrix} \begin{pmatrix} x\\y\\w \end{pmatrix}$$

3D Homogeneous Translation and Scaling

Translation:

Scaling:

$$\begin{pmatrix} x'\\y'\\z'\\w' \end{pmatrix} = \begin{pmatrix} 1 & 0 & 0 & \delta x\\0 & 1 & 0 & \delta y\\0 & 0 & 1 & \delta z\\0 & 0 & 0 & 1 \end{pmatrix} \begin{pmatrix} x\\y\\z\\w \end{pmatrix}$$
$$\begin{pmatrix} x'\\y\\z\\w \end{pmatrix} = \begin{pmatrix} S_x & 0 & 0 & \delta x\\0 & S_y & 0 & \delta y\\0 & 0 & S_z & \delta z\\0 & 0 & 0 & 1 \end{pmatrix} \begin{pmatrix} x\\y\\z\\w \end{pmatrix}$$

3D Homogeneous Rotation

Rotation around the z axis:

$$\begin{pmatrix} x'\\y'\\z'\\w' \end{pmatrix} = \begin{pmatrix} \cos\theta & -\sin\theta & 0 & 0\\\sin\theta & \cos\theta & 0 & 0\\0 & 0 & 1 & 0\\0 & 0 & 0 & 1 \end{pmatrix} \begin{pmatrix} x\\y\\z\\w \end{pmatrix}$$

Rotation around the x axis:

$$\begin{pmatrix} x' \\ y' \\ z' \\ w' \end{pmatrix} = \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & \cos \theta & -\sin \theta & 0 \\ 0 & \sin \theta & \cos \theta & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix} \begin{pmatrix} x \\ y \\ z \\ w \end{pmatrix}$$

Rotation around the y axis:

$$\begin{pmatrix} x'\\y'\\z'\\w' \end{pmatrix} = \begin{pmatrix} \cos\theta & 0 & \sin\theta & 0\\ 0 & 1 & 0 & 0\\ -\sin\theta & 0 & \cos\theta & 0\\ 0 & 0 & 0 & 1 \end{pmatrix} \begin{pmatrix} x\\y\\z\\w \end{pmatrix}$$

General Homogeneous Rotation

Rotation around a unit vector (X, Y, Z):

$$\begin{pmatrix} x'\\y'\\z'\\w' \end{pmatrix} = \begin{pmatrix} 1+(1-\cos\theta)(X^2-1) & -Z\sin\theta+(1-\cos\theta)XY & Y\sin\theta+(1-\cos\theta)XZ & 0\\ Z\sin\theta+(1-\cos\theta)XY & 1+(1-\cos\theta)(Y^2-1) & -X\sin\theta+(1-\cos\theta)YZ & 0\\ -Y\sin\theta+(1-\cos\theta)XZ & X\sin\theta+(1-\cos\theta)YZ & 1+(1-\cos\theta)(Z^2-1) & 0\\ 0 & 0 & 0 & 1 \end{pmatrix} \begin{pmatrix} x\\y\\z\\w \end{pmatrix}$$

Rotate x axis to unit vector (X_0, Y_0, Z_0) and y axis to unit vector (X_1, Y_1, Z_1) :

$$\begin{pmatrix} x'\\y'\\z'\\w' \end{pmatrix} = \begin{pmatrix} X_0 & X_1 & Y_0Z_1 - Y_1Z_0 & 0\\Y_0 & Y_1 & Z_0X_1 - Z_1X_0 & 0\\Z_0 & Z_1 & X_0Y_1 - X_1Y_0 & 0\\0 & 0 & 0 & 1 \end{pmatrix} \begin{pmatrix} x\\y\\z\\w \end{pmatrix}$$

3D Homogeneous Transformation

Transformation matrices will always be of the form

$$\begin{pmatrix} x'\\y'\\z'\\w' \end{pmatrix} = \begin{pmatrix} r_{xx} & r_{yx} & r_{zx} & t_x\\r_{xy} & r_{yy} & r_{zy} & t_y\\r_{xz} & r_{yz} & r_{zz} & t_z\\0 & 0 & 0 & 1 \end{pmatrix} \begin{pmatrix} x\\y\\z\\w \end{pmatrix}$$

OpenGL Transformation Matrices

- You can set the matrices explicitly in OpenGL
 - glLoadMatrixd(double mat[16])
 - glMultMatrixd(double mat[16])
- Setting the matrix may be convenient when you calculate vectors instead of angles
- Killer fact:
 - The matrix is stored in COLUMN major order

Useful Vector Results

- c = a x b
 - **c** is perpendicular to the plane formed by **a** and **b**
 - **c** is zero when **a** and **b** are parallel
- c = a x (b x a)
 - **c** is perpendicular to **a**
 - \mathbf{c} is in the plane formed by \mathbf{a} and \mathbf{b}
 - **c** is zero when **a** and **b** are parallel