

Tesselation Shader


CSCI 4239/5239

Advanced Computer Graphics Spring 2014

What is it?




- Allows dynamic refinement of objects
- Subdivides lines, triangles or quads
- Inserted between vertex shader and geometry shader
- Special Type: GL_PATCHES
- Best resource
 - Graphics Shaders: Theory and Practice (2e)
 - Bailey and Cunningham
 - Chapter 12

Where does it fit?



Coordinates

- Quads
 - Cartesian coordinates
 - Two outer division levels
 - Two inner division levels
- Triangles
 - Barycentric coordinates
 - Three outer division levels
 - One inner division level



OpenGL Implementation

- Requires OpenGL 4.0
- Create and compile just like others
 - `glCreateShader(GL_TESS_CONTROL_SHADER)`
 - `glCreateShader(GL_TESS_EVALUATION_SHADER)`
- Requires additional parameters
 - In program
 - `glPatchParameter*`()
 - In shader
 - `layout()`

GLSL Implementation

- Tesselation Control
 - Set position
 - Set inner level
 - Set outer level
- Tesselation Evaluation
 - Interpolate in cartesian/barycentric coordinates
 - Set vertex `gl_Position`
- Geometry
 - Expand to triangle strip

Ex 23: Geodesic Tessellation

- Approximates sphere by subdividing geodesic icosahedron
 - 12 vertices
 - 20 triangles
- Collection of all shaders
 - Vertex Shader
 - Tesselation Control Shader
 - Tesselation Evaluation Shader
 - Geometry Shader
 - Fragment Shader