CSCI 4239/5239 Advanced Computer Graphics Spring 2022

Instructor

- Willem A (Vlakkies) Schreüder
- Email: vlakkies@colorado.edu
 - Begin subject with 4239 or 5239
 - Resend email not answered promptly
- Office Hours:
 - Wednesday 2:00-3:00pm
 - Other times by appointment
- Weekday Contact Hours: 6:30am 9:00pm

Course Objectives

- Explore advanced topics in Computer Graphics
 - Pipeline Programming (Shaders)
 - Embedded System (OpenGL ES)
 - GPU Programming (CUDA&OpenCL)
 - Ray Tracing
 - Special topics
- Assignments: Practical OpenGL
 - Building useful applications
 - Use GLFW to build programs



Course Organization

- First hour: Discussion and presentations
 - Presentation of homework
 - Volunteers and/or round robin
- Second hour: Introduction of next topic
 - Short lecture and demonstration

Grading

- Homeworks 50%
 - You may skip one homework
- Presentations & Participation 20%
 - One homework and final project
- Semester project 30%
 - Build a significant graphics application
- No formal tests or final
- Grade Ranges

	Α	A-		B+		В		B-		C+		С		C-		D+		D		D-		F	
100	9	95	90		85		80		75		70		65		60		55		50		40		0

Assumptions

- You need to be fluent in C/C++
 - Examples are in C or C++
 - You can do assignments in any language
 - I may need help getting it to work on my system
- You need to be comfortable with OpenGL
 - CSCI 4229/5229 or equivalent
 - You need a working OpenGL environment

Class Attendance

- Attendance is expected
 - I don't typically take attendance
- More of a seminar than a lecture
 - Participation is important
 - Mute your microphone when on Zoom
 - Have your video on, expecially when talking
- If you are sick stay home
 - Zoom lectures are recorded
 - Catch up if you miss class

Grading Expectation

- Satisfactory complete all assignments => A
 - The goal is to impress your friends
- Assignments **must** be submitted on time unless prior arrangements are made
 - Due by 8am Thursday morning
 - Grace period until Thursday noon
- Assignments must be completed individually
 - Stealing ideas are encouraged
 - Code reuse with attribution is permitted
- Grade <100 means not satisfactory (not A)

Code Reuse

- Code from the internet or class may be used
 - You take responsibility for any bugs in the code
 - That includes bugs in my code
 - Make the code your own
 - Understand it
 - Format it consistently
 - Improve upon what you found
 - I may ask what improvements you made
 - Submitting code without crediting the source is violation of the CU honor code
- The assignment is a minimum requirement

Code Expectations

- I expect professional standards in coding
 - Informative comments
 - Consistent formatting
 - Expand tabs
 - Clean code
 - Clean out unused code
- Good code organization
- Appropriate to the problem at hand
- See *Expectation* on Canvas

Text

- OpenGL Programming Guide (9ed)
 - Kessenich, Sellers & Schreiner
 - "OpenGL Vermillion Book"
 - Implementing Shaders using GLSL
 - Don't get an older edition
- Ray Tracing from the Ground Up
 - Kevin Suffern
 - Theory and practice of ray tracing
- Recommended by not required

- OpenGL SuperBible: Comprehensive Tutorial and Reference (7ed)
 - Sellers, Wright & Haemel
 - Good all-round theory and applications
- Graphics Shaders: Theory and Practice (2ed)
 - Bailey & Cunningham
 - Great shader examples

- OpenGL ES 3.0 Programming Guide
 - Ginsburg & Purnomo
 - "OpenGL Purple Book"
 - Has a chapter specific to the iPhone
- WebGL Programming Guide
 - Matsuda & Lea

- Programming Massively Parallel Processors
 - Kirk & Hwu
 - Explains GPU programming using CUDA
 - Shows how to adopt OpenCL
- CUDA by Example
 - Sanders and Kandrot
 - Great introduction using examples

- Advanced Graphics Programming Using OpenGL
 - Tom McReynolds and David Blythe
 - Great reference for miscellaneous advanced topics
- Physically Based Rendering
 - Pharr, Jakob and Humpfreys
 - Only for PBRT homework
 - 3rd edition for PBRTv3

OpenGL Resources

- www.google.com
 - Need I say more?
- www.opengl.org
 - Code and tutorials
- nehe.gamedev.net www.lighthouse3d.com
 - Excellent tutorials
- www.mesa3d.org
 - Code of "internals"
- www.prinmath.com/csci5229
 - Example programs from CSCI 4229/5229

Assignment 0

- Due: Friday Jan 14 by 9pm
- Check your Canvas notification settings
 - Set notifications to immediate
- Submit
 - Your study area
 - Platform (Hardware, Graphics, OS, ...)
 - Any specific interests in computer graphics
 - Specific topics you want to see covered
 - Initial project idea(s)
 - Does office hours Wed 2-3 work for you
 - BBA students let me know about schedules

My information

- Mathematical modeling and data analysis
 - PhD Computational Fluid Dynamics [1986]
 - PhD Parallel Systems (CU Boulder) [2005]
 - President of Principia Mathematica
- Use graphics for scientific visualization
- Open source bigot
- Program in C, C++, Fortran, Perl & Python
- Outside interests
 - Aviation
 - Amateur radio

Hardware Requirements

- You need hardware that will run shaders well
 - Integrated graphics may not marginal
 - Graphics cards from the last 5 years should be OK
 - GPU computing needs high end hardware
 - A VM is probably not going to cut it
- Try on different hardware
 - AMD/nVidia/Intel sometimes behave differently
 - I have nVidia hardware

Examples use glfw

- Why drop GLUT?
 - Apple support for GLUT is waning
 - It is easy to use, but limited capabilities
- Why glfw
 - It is cross platform: Linux/WinX/OSX/iOS/...
 - Very light weight wrapper to OpenGL
 - Does not do sound, load images, etc
 - Actively being developed (Vulcan is coming...)
- Can I use SDL or another wrapper?
 - As long as it is cross platform

OpenGL Extension Wrangler (GLEW)

- Maps OpenGL extensions at run time
 - Provides headers for latest OpenGL
 - Finds vendor support at run time
- Check support for specific functions or OpenGL version at run time
 - Crashes if unsupported features are used
- Use only if you have to (Windows mostly)
 - Set -dUSEGLEW to selectively invoke it
 - Do NOT require GLEW (I don't need it)
 - See Canvas for installation instructions

Assignment 1

- Due: Thursday January 20
- NDC to RGB shader
 - For every point on the objects, the color should be determined by its position in normalized device coordinates
- The goal is to make this as short and elegant as possible
 - Shader Golf
 - Figure this out for yourself
 - Make every operation count
- Test your toolchain

Nuts and Bolts

- Complete assignments on any platform
 - Assignments reviewed under Ubuntu 20.04.1 LTS
 - Ubuntu provides glfw 3.3
- Submit using Canvas
 - ZIP without creating an extra folder
 - Name projects hw1, hw2, ... (lower case)
 - Include all source code, makefile and data files
 - Set window title to Homework X: Your Name
- Include number of hours spent on assignment

Check my feedback and resubmit if requested

Project

- Should be a program with a significant graphics component
 - Something useful in your research/work
 - Graphical front end to simulation
 - Graphical portion of a game
 - Expect more from graduate students
- Deadlines
 - Proposal: Thursday March 17
 - Progress: Thursday March 31
 - Review: Thursday April 14
 - Final: Thursday April 28

A few hints

- My machine runs Linux x86_64
 - gcc/g++ with nVidia & GLX
 - -Wall is a **really** good idea
 - case sensitive file names
 - int=32bit, long=64bit
 - little-endian
 - fairly good performance
- How to make my life easier
 - Try it on another machine
 - Stick to C/C++ unless you have a good reason
- Maintain thy backups...

Class Discussions

- If have a special interest in the topic and have something special to contribute VOLUNTEER to lead the discussion
- If there are no volunteers, I will appoint volunteers some on a round robin basis (in order by MD5 of names)
 - You can trade places, but you are responsible for arranging a substitute
- You must present homework at least once, but you can do more if you want
- Popular topics may have more presenters

What to Present

- Should be (mostly) the assigned topic
 - Rabbit holes can be very interesting
 - Keep it within reach of the class
- Show what you did for the assignment
 - Cover principles or theory I omitted
 - Show and describe code of interest
 - Demonstrate "gotchas" you encountered
 - Impress your friends
- Keep it interesting

How to Present

- 15 minutes can be forever or over in a wink
 - Plan your time (practice out load)
 - If you use slides figure 2 minutes per slide
- Plan your presentation
 - What are the key points you want to convey?
 - How do you illustrate the key points?
- The presentation should TEACH
 - Teaching is learning twice
 - Adapt to the questions

How to Listen

- If you don't understand, ask
 - Helps the presenter understand what is new to you
- If you disagree, say so
 - Maybe the presenter misspoke or has an different opinion worth discussing
- Be nice you may be next!

Zoom Ettiquete

- Try to arrange a quiet background
- Mute your audio when joining Zoom
- Turn on video when talking
 - Leave your video on at other times if you can
- Interrupt me if I miss your chat question

What is a Shader?

- A shader is a computer program that runs on the GPU to calculate the properties of vertexes, pixels and other graphical processing
- Examples:
 - Vertex position or color computed by a program
 - Texture generated by a program
 - Per-pixel lighting
 - Image processing
 - Cartoon shading

How does a shader work?

- Shader Language used to specify operations
 - RenderMan, ISL, HLSL, Cg, GLSL
- Compile instructions into program
 - e.g. glCompileShader()
- Shader performs calculations as part of graphics pipeline
- Runs calculations on GPU instead of CPU

What is a Shader Language?

- Typically C/C++ like
 - for, while, if, ... for control flow
 - Adds special types like vec4 (4 component vector) and mat4 (4x4 matrix) and operators
 - Predefined variables used to get data (gl_Vertex) and return result (gl_Position)
- Simplifies and extends C/C++ for efficiency
 - Matrix & vector operations supported in hardware Graphics Processing Unit (GPU)
 - Built-in functions like normal, blend, etc.

GL Shader Language (GLSL)


- Often call "GLSLang"
- Added to OpenGL 2.0
 - First appeared as extension in OpenGL 1.4
 - Can be accessed in older versions using extentions
 - GL Extension Wrangler (GLEW) often used
- Geared to real time graphics
 - Inserted into OpenGL pipeline
 - Vertex Shader to manipulate vertexes
 - Fragment Shader to manipulate pixels

OpenGL Verions


- I will use different OpenGL versions depending on what is convenient for the problem at hand
 - OpenGL 2.x
 - Feature rich
 - Flat learning curve
 - Convenient in many applications
 - OpenGL 4.x
 - Somewhat different syntax
 - Needed for advanced shaders
- OpenGL Core & Compatibility Profiles
- You can use whatever version you want

Where does GLSL fit?

- Vertex shader
 - Transformations, color, texture coordinates, ...
- Fragment shader
 - Textures, Color Interpolation, Fog, ...
- OpenGL still does Z-buffering, etc.




Fixed Pipeline Example



How is this different from what we have done before?

- GLSL instructions can run on GPU
 - Matrix-vector multiplications done *fast*
- Without GLSL we influence the pipeline using parameters and fixed operations
 - Lighting calculated at vertexes
 - Textures calculated at fragments
 - Vertex-frament interpolation
 - GL_SMOOTH bilinear interpolation
 - GL_FLAT constant using last vertex
- With GLSL we can calculate values directly

How does this work with OpenGL?



Other Shader Languages

- RenderMan
 - Lucasfilm Pixar Disney
- OpenGL Shader (ISL)
 - SGI Interactive Shader Language
- High-Level Shader Language (HLSL)
 - Microsoft DirectX 9
- NVIDIA's Cg
 - proprietary shading language

RenderMan

- First practical shading language (1988)
- De-facto entertainment industry standard
- Remains in widespread use today
- Generally used for off-line rendering
 - Uncompromising image quality
 - Little hardware acceleration
- Credits:
 - Jurassic Park, Star Wars Prequels, Lord of the Rings
 - Toy Story, Finding Nemo, Monsters Inc, ...
- No relation to OpenGL in syntax or structure

The Rest (ISL, HLSL, Cg, ...)

- Syntax different but similar approach
- Generally similar in structure
 - Vertex Shader
 - Fragment Shader
- Geared towards real time graphics
 - Hardware support
 - Performance stressed

GLSL Versions

- GLSL 1.0 = OpenGL 1.4 (2002)
 The first portable shader
- GLSL 1.2 = OpenGL 2.0 (2004)
 The shader we will use
- GLSL 1.3 = OpenGL 3.0 (2008)
 - Some changes in syntax
 - Deprecates some features
- GLSL 3.3 = OpenGL 3.3

- From here on GLSL version match OpenGL

Set minimum version using #version

GLSL 1.2 Variable Qualifiers

- const (e.g. gl_MaxLights)
 compile-time constant [read-only]
- uniform (e.g. gl_ModelViewMatrix)
 - input to vertex and fragment shader from OpenGL or application [read-only]
- attribute (e.g. gl_Vertex)
 - input per-vertex to vertex shader from OpenGL or application [read-only]
- varying (e.g. gl_FrontColor)
 - output from vertex shader [read-write], interpolated, then input to fragment shader [read-only]

GLSL 4 Variable Qualifiers

- const
 - compile-time constant
- uniform
 - data from CPU to shader
- in
 - per-vertex input to vertex shader
 - input from previous shader for others
- out
 - resulting vertex and fragment properties
 - output to next shader

The problem with shaders

- EXTREMELY hard to debug
 - No "print" statements
- You have to have to most things yourself
- Support for latest features are spotty
 - Needs GLEW on Windows
 - Generally needs decent hardware
- So why use it?
 - Ultimate flexibility
 - Unsupported features (e.g. bump maps)

Installing glfw

- http://www.glfw.org/
- Ubuntu:
 - apt-get install glfw3-dev
- OSX
 - Install Xcode with command line tools
 - Install homebrew
 - Install toolchain, glfw and glew
- Windows
 - Install MSYS2/MinGW
 - Install toolchain, glfw and glew with pacman

CSCIx239 Library

- Includes GLFW and GLEW headers
- Many convenience functions
 - InitWindow starts GLFW and GLEW
 - Projection, Print, Fatal, ErrCheck, ...
 - Load textures and OBJs
 - Simple objects (Cube, Sphere, ...)
 - Compile Shaders
 - Matrix operations
 - Performance (FPS, elapsed)
- Make sure you know what it does